

INDEX MAPS.

T. 3 N. R. 8 E. 2nd Mer.

	368		368		368		369		369		369	
370	6	392	5	387	4	383	3	377	2	375	1	365
	392		391		386		382		379		375	
370	7	391	8	386	9	382	10	378	11	375	12	366
	391		390		386		382		378		374	
370	18	390	17	385	16	381	15	378	14	374	13	366
	390		389		385		381		377		374	
371	19	389	20	384	21	381	22	377	23	373	24	366
	389		388		384		380		377		373	
371	30	388	29	384	28	380	27	376	26	373	25	367
	388		387		383		380		376		372	
371	31	387	32	383	33	379	34	376	35	372	36	367
	364		363		363		363		363		363	
		364		365		365		365		365		365

T. 4 N. R. 8 E. 2nd Mer.

	400		400		400		400		399		399	
404	6	424	5	418	4	417	3	411	2	409	1	399
	423		423		418		416		411		409	
403	7	423	8	418	9	416	10	410	11	409	12	398
	422		422		417		416		410		408	
403	18	422	17	417	16	415	15	410	14	408	13	398
	421		421		415		413		408		406	
403	19	421	20	415	21	413	22	407	23	405	24	398
	420		420		414		412		407		405	
402	30	420	29	414	28	412	27	407	26	405	25	397
	420		419		414		412		407		405	
402	31	419	32	413	33	411	34	406	35	404	36	397
	395		395		395		396		396		396	

(P) The figures on the lines refer to the page.

395
Township N. 4. N. Range N. 8 E. 2. Mer. Indiana
Ch. 1. 1/2

South Boundary.

August 25th 1876. Variation 5.50° E

East On S. boundary of Sec. 31

33.00 a W. Oak 30 in. diam.

36.00 a Brook 3 in. wide Course N. E.

40.00 let of. Sec. post, from which
a Beech 12 in. diam. bearing S 83° E 19 in. dist. of
a Do. 16 " " " N 79° W 41 " "

66.50 a Brook 3 in. wide Course N.

80.00 let post Cor. to Sec. 31 of 32, from which
a Beech 18 in. diam. bearing S 39° W 16 in. dist. of
a Poplar 6 " " " N 65° E 28 " "
Good level land, timber Oak, Beech & Poplar

East On S. boundary of Sec. 32,

11.50 a Brook 3 in. wide Course W.

20.70 a Beech 12 in. diam.

36.00 a Poplar 60 " "

40.00 let of. Sec. post, from which
a W. Oak 24 in. diam. bearing N 54° E 20 in. dist. of
a Do. 12 " " " S 82° W 43 " "

76.50 an Indian path appears to cross at right angles
fallen timber thick

80.00 let post Cor. to Sec. 32 of 33, from which
a Hickory 18 in. diam. bearing N 14° W 9 in. dist. of
a W. Oak 30 " " " N 5° E 62 " "

Pretty good Oak land

East On S. boundary of Sec. 33

14.60 a Hickory 36 in. diam.

40.00 let of. Sec. post, from which
a Gum 18 in. diam. bearing N 80° W 15 in. dist. of
a Do. 16 " " " N 78° E 24 " "

59.30 a Poplar 36 " "

72.30 a Do. 30 " "

80.00 let post Cor. to Sec. 33 of 34, from which

396

T^h N N 8 E, 2^d Mer. Indianach. 2th

a Poplar 30 in. dia. - bray S 51 W 11 lks. dist. of
 a Gum 18 " " " N 62 E 41 " "
 Level rich land, timber Oak, Poplar &c

East On S. boundary of Sec. 34

26.30 a Poplar 36 in. dia.

40.00 Let gr. Sec. post, from which

a W. Oak 24 in. dia. - bray N 84 W 24 lks. dist. of

a Poplar 18 " " " S 82 E 31 " "

80.00 Let post Cor. to Secs. 34 & 35, from which

a Beech 10 in. dia. - bray S 85 W 7 lks. dist. of

a Do. 16 " " " N 60 E 50 " "

First $\frac{1}{2}$ mile good level land - last $\frac{1}{2}$ mile thin
 Oak land August 26th 1876

East On S. boundary of Sec. 35

00.10 a Brook 10 lks. wide Course N.

5.00 a Do. 10 " " " N.

8.70 a Poplar 36 in. dia.

35.00 a Brook 3 lks. wide Course N.

40.00 Let gr. Sec. post, from which

a W. Oak 30 in. dia. - bray N 63 W 17 lks. dist. of

a Beech 12 " " " S 55 E 34 " "

56.00 a Brook 3 lks. wide Course N.

56.95 a Beech 10 in. diam.

65.00 a Brook 5 lks. wide Course N. W.

80.00 Let post Cor. to Secs. 35 & 36, from which

a Poplar 36 in. dia. - bray N 15 E 23 lks. dist. of

a Beech 16 " " " S 37 E 36 " "

Generally good Oak land

East On S. boundary of Sec. 36

22.00 a Brook 3 lks. wide Course N.

22.77 a Poplar 16 in. dia.

40.00 Let gr. Sec. post, from which

a Beech 14 in. dia. - bray N 63 E 16 lks. dist. of

397

T4 N R8 E. 2^d Mer. Indiana

ch. 1st 1/4
 at Beech 14 mi. dist. from S53°W 24 lks. dist.
 43.00 a Brook 10 lks. wide Course N.W.
 55.30 a Beech 15 mi. dist.
 80.00 At post Cor. to Township 3 & 4 N. Range
 8 & 9 East, from which
 a Beech 12 mi. dist. from N3°E 21 lks. dist. of
 a Poplar 24 " " " S17°W 44 " "
 First 1/2 mile uneven land, timber Oak, Beech
 & Poplar, - last 1/2 level & good soil, timber same

East Boundary var. 5°50'E.

North On E. boundary of Sec. 36
 16.50 a Poplar 12 mi. dist.
 40.00 At q. Sec. post, from which
 a B. Oak 24 mi. dist. from S20°E 22 lks. dist. of
 a Do. 24 " " " S8°W 24 " "
 54.50 a W. Oak 36 " "
 77.00 a Brook 4 lks. wide Course N.E.
 80.00 At post Cor. to Sec. 25 & 36, from which
 a Beech 12 mi. dist. from S63°E 16 lks. dist. of
 a Do. 12 " " " S78°W 19 " "
 First 1/2 pretty good, last 1/2 poor brushy land
 timber Oak, Beech &c.

North On E. boundary of Sec. 25
 12.00 a Brook 5 lks. wide Course E.
 18.00 a Gum 14 mi. dist.
 32.00 a Beech 9 " "
 40.00 At q. Sec. post, from which
 a Poplar 12 mi. dist. from S33°E 17 lks. dist. of
 a W. Oak 15 " " " S81°W 23 " "
 47.00 a Brook 13 lks. wide Course E.
 80.00 At post Cor. to Sec. 24 & 25, from which
 a W. Oak 12 mi. dist. from N3°E 25 lks. dist. of
 an Ash 6 " " " S28°W 10 " "
 First 1/2 mile poor uneven land, timber Oak,

Lot N R8 E, 2^d Mer. Indiana

ch. P. M.

Beech &c. - last 1/2 mile rich level land
timber Oak, Elm, Ash &c

North On E. boundary of Sec. 24

10.00 a Creek 75 yds. wide Course W. Rapid

30.00 a do. 75 " " " E. "

40.00 Let q. Sec. post, from which

a Beech 18 m. dist. by S 58 W 13 lns. dist. of

a Sugar 6 " " " N 48 E 18 " "

48.00 a Creek 75 yds. wide Course W. Rapid

60.00 a do 75 " " " E. "

71.00 Same 75 " " " W. "

80.00 Let post cor. to Sec 13 of 24, from which

a Beech 18 m. dist. by S 21 E 20 lns. dist. of

a do. 13 " " " N 51 E 19 " "

First 1/2 mile rich land, Sugar, Beech, Elm

Last 1/2 mile steep Rocky hill, Beech, Sugar &c.

North On E. boundary of Sec. 13

8.00 a Creek 200 yds. wide Course W.

22.20 a Lynm 15 m. dist.

40.00 Let q. Sec. post, from which

a Beech 12 m. dist. by S 22 E 13 lns. dist. of

a do. 9 " " " N 16 E 30 " "

48.00 a Brook 3 lns. wide Course S.

53.80 a Beech 30 m. dist.

80.00 Let post cor. to Sec. 12 of 13, from which

a Beech 9 m. dist. by S 6 W 9 lns. dist. of

a do 7 " " " N 6 E 43 " "

Chilly rich land, timber Sugar, Beech &c

North On E. boundary of Sec. 12

16.70 a Beech 18 m. dist.

23.00 a Brook 3 lns. wide Course W.

40.00 Let q. Sec. post, from which

a Beech 12 m. dist. by S 8 E 13 lns. dist. of

399

Lat R8E. 2^d Mer. Indiana
 ch. 1st 1/2 mi.
 a Beech 8 mi. dist. from N8W22 lbs. dist. of
 51.50 a Brook 3 lbs. wide Course W.
 75.50 a do. 15 " " " N. kept up it.
 80.00 set post Cor. to Sec. 1 of 12, from which
 a Beech 8 mi. dist. from N82W39 lbs. dist. of
 a Sycamore 40 " " " N89E48 " "
 First 1/2 mile flat & wet - last hilly & poor, timber
 Beech & Dogwood

North On E. boundary of Sec. 1
 0.50 left the to the East
 30.00 an Ash 16 mi. dist.
 40.00 set q. Sec. post, from which
 a Beech 10 mi. dist. from N4W15 lbs. dist. of
 a do. 18 " " " N44E25 " "
 45.50 a Brook 4 lbs. wide Course S.
 50.00 a Beech 24 mi. dist.
 70.00 a W. Oak 30 " "
 80.00 set post Cor. to Township 4 of 5 North, Range
 8 of 9 East, from which
 a Beech 12 mi. dist. from N37W7 lbs. dist. of
 a do. 6 " " " N49E10 " "
 Level land timber Beech Oak &c.

North Boundary. Aug. 27th 1806
 West On Rand^m. S. boundary of Sec. 36, T5N, R8E.
 15.00 a Brook 5 lbs. wide Course S.E. kept down it
 27.00 leave the Brook running N.W.
 40.00 set temp. q. Sec. post
 50.00 a Brook 5 lbs. wide Course S.
 80.00 set temp. Cor. to Sec. 35 of 36
 Generally broken land, timber Beech, Oak &c.

West On Rand^m. S. boundary of Sec. 35, T5N, R8E
 40.00 set temp. q. Sec. post
 58.50 a Brook 20 lbs. wide Course S.W.

4007

T4 N. R8 E. 2^d. Mer. Indiana

ch. lly

65.00 loopt brook

80.00 Let temp^y. Cor. to Sec^s. 34 & 35

Rich land, timber Beech, Sugar &c.

West On Rand^m. S. boundary of Sec. 34, T5 N. R8 E.

29.00 a Brook 3 lly. wide Course S.

40.00 Let temp^y. q^r. Sec. post

77.00 a Brook 20 lly. wide Course S. W.

80.00 Let temp^y. Cor. to Sec^s. 33 & 34

Rich hilly land, timber Beech, Sugar &c.

West On Rand^m. S. boundary of Sec. 33, T5 N. R8 E.

40.00 Let temp^y. q^r. Sec. post

57.00 a Creek 15 lly. wide C. P. S.

80.00 Let temp^y. Cor. to Sec^s. 32 & 33

Rich land, timber, Sugar, Beech, Walnut, &c.

West On Rand^m. S. boundary of Sec. 32, T5 N. R8 E.

15.00 a Brook 5 lly. wide Course S.

40.00 Let temp^y. q^r. Sec. post

43.00 a Brook 3 lly. wide Course S.

53.00 a do. 3 " " S.

80.00 Let temp^y. Cor. to Sec^s. 31 & 32

Rich level land, timber Sugar, Beech, ash &c.

West On Rand^m. S. boundary of Sec. 31, T5 N. R8 E.

5.00 a Brook 2 lly. wide Cr. S. W.

22.00 a do. 3 " " S. W.

39.00 a Creek 75 lly. " " S. W.

40.00 Let temp^y. q^r. Sec. post

79.00 Full 4 lly. S. of the Cor. of Town 4 & 5 N

Ranges 7 & 8 East - Rich bottom land
timber Sugar, Beech &c.

True Line. var. 550' E.

East On S. boundary of Sec. 31, T5 N. R8 E.

T. 4 N. R. 8 E. 2^d. Mer. Indiana

401

ch. l. l. m.

- 39.00 Set q. Sec. post, from which
a Lycamore 36 mi. dist. bear S 20 E 40 l. m. dist. of
a Box Elder 10 " " " N 50 E 41 " "
- 79.00 Set post Cor. to Sec. 31, 32, 35 N. 128 E, from which
a Beech 18 mi. dist. bear N 59 W 16 l. m. dist. of
a Do. 16 " " " N 43 E 60 " "

East On S. boundary of Sec. 32, 35 N. 128 E.

- 40.00 Set q. Sec. post, from which
a Beech 15 mi. dist. bear S 52 W 16 l. m. dist. of
a Do. 18 " " " N 42 E 24 " "
- 80.00 Set post Cor. to Sec. 32, 33, 35 N. 128 E, from which
a Sugar 12 mi. dist. bear N 32 E 24 l. m. dist. of
an Ash 30 " " " S 66 W 34 " "

East On S. boundary of Sec. 33, 35 N. 128 E.

- 40.00 Set q. Sec. post, from which
a Sugar 18 mi. dist. bear N 60 E 11 l. m. dist. of
a Do. 36 " " " S 36 W 32 " "
- 80.00 Set post Cor. to Sec. 33, 34, 35 N. 128 E, from which
a Beech 12 mi. dist. bear N 8 E 4 l. m. dist. of
a Sugar 18 " " " S 63 W 37 " "

East On S. boundary of Sec. 34, 35 N. 128 E.

- 40.00 Set q. Sec. post, from which
a Beech 6 mi. dist. bear N 37 W 8 l. m. dist. of
a Cherry 30 " " " S 30 W 30 " "
- 80.00 Set post Cor. to Sec. 34, 35, 35 N. 128 E, from which
a Beech 14 mi. dist. bear N 73 E 6 l. m. dist. of
a Do. 15 " " " S 36 W 33 " "

East On S. boundary of Sec. 35, 35 N. 128 E.

- 40.00 Set q. Sec. post, from which
a Sugar 14 mi. dist. bear N 88 W 7 l. m. dist. of
a Beech 16 " " " N 50 E 49 " "
- 80.00 Set post Cor. to Sec. 35, 36, 35 N. 128 E, from which

T4 N R8 E, 2nd Mer. Indiana
 ch²ly
 a Beech 16 in. dia. bears S 107 W 10 lbs. dist. of
 a Do. 12 " " " N 36 E 33 " .

East On S. boundary of Sec. 36, T5 N R8 E,
 40.00 Set of Sec. post, from which
 a Beech 12 in. dia. bears S 66 W 4 lbs. dist. of
 a Poplar 12 " " " N 62 E 25 " .
 80.00 to the Township Corner

West Boundary var. 5° 50' E.
 North On E. boundary of Sec. 36, T4 N R7 E.
 20.78 a Beech 14 in. dia.
 25.00 a Brook 3 lbs. wide Course S. W.
 40.00 Set of Sec. post, from which
 a Beech 12 in. dia. bears N 33 E 39 lbs. dist. of
 a Gum 24 " " " N 11 E 39 " "
 51.60 a Beech 15 " "
 53.00 a Brook 10 lbs. wide Course N. W.
 73.70 a Hickory 20 in. dia.
 80.00 Set post Cor. to Sec. 25 & 36, T4 N R7 E, from which
 an Ash 12 in. dia. bears S 46 W 11 lbs. dist. of
 an Elm 18 " " " N 46 E 13 " "
 Level rich land, timber Oak, Beech, Ash &c

North On E. boundary of Sec. 25, T4 N R7 E.
 10.00 a brook 3 lbs. wide Course N. W.
 23.00 a Do. 20 " " " N. W.
 40.00 Set of Sec. post, from which
 a Beech 30 in. dia. bears S 55 E 4 lbs. dist. of
 a Do. 15 " " " N 53 W 29 " "
 44.50 a Brook 3 lbs. wide Course S. W.
 55.38 a Beech 24 in. dia.
 80.00 Set post Cor. to Sec. 24 & 25, T4 N R7 E, from which
 a Poplar 36 in. dia. bears S 19 E 17 lbs. dist. of
 a Sugar 10 " " " N 34 E 42 " "
 Generally good rich Oak land &c.

403

T4 N R8 E. 2^d Mer. Indiana

ch. lks

- North On E. boundary of Sec. 24. T4 N. R7 E.
 25.70 Beech 18 in. dia.
 30.00 brook 20 lks. wide Course W.
 40.00 Set of Sec. post, from which
 a Beech 8 in. dia. bears S 70 E 12 lks. dist. &
 a No. 30 " " " S 86 W 20 " "
 47.00 brook 3 lks. wide Course W.
 67.00 a No. 15 " " " W.
 80.00 Set post Cor. to Sec. 13 & 24. T4 N. R7 E. from which
 a Beech 20 in. dia. bears S 88 W 17 lks. dist. &
 a No. 18 " " " N 40 E 26 " "
 first half mile uneven last half ridgy rich land
 timber Oak Sugar Poplar Beech &c.
-

- North On E. boundary of Sec. 13. T4 N. R7 E.
 7.89 a Sugar 18 in. dia.
 12.00 a Brook 15 lks. wide Course W
 33.00 a Beech 15 in. dia.
 40.00 Set of Sec. post, from which
 a Beech 3 in. dia. bears S 11 E 20 lks. dist. &
 a Elm 18 " " " N 11 W 31 " "
 56.70 a W. Oak 40 " "
 80.00 Set post Cor. to Sec. 12 & 13, T4 N. R7 E. from which
 a Beech 24 in. dia. bears N 6 W 57 lks. dist. &
 a No. 18 " " " S 66 W 40 " "
 Generally good Land timber Oak Sugar Beech &c.
-

- North On E. boundary of Sec. 12. T4 N. R7 E.
 4.17 a Brook 12 lks. wide Course N. W.
 40.00 Set of Sec. post, from which
 a Beech 16 in. dia. bears S 71 E 27 lks. dist. &
 a No. 12 " " " N 11 W 37 " "
 52.00 a Brook 3 lks. wide course W.
 58.80 a Beech 14 in. dia.
 73.00 a Brook 4 lks. wide Course W.
 80.00 Set post Cor. to Sec. 1 & 12, T4 N. R7 E. from which

404

T4 N R8 E. 2^d. Mer. Indiana

Ch. lks.

a Beech 20 in. dia. bears N 63 E 6 lks. dist. &
 an Elm 12 " " " N 39 W 36 " "
 first 1/2 mile rich land timber Oak Beech Sugar last
 half mile wet low land timber Beech Elm &c.

North On E. boundary of Sec. 1. T4 N. R. 7 E.

30.00 an Ash 24 in. dia.

32.50 a River 220 lks. wide Course W.

40.00 Set of. Sec. post. from which

an Elm 16 in. dia. bears S 58 E 29 lks. dist. &

a Sugar 12 " " " N 27 W 27 " "

63.50 a Brook 1.00 lks. wide Course W.

80.00 Set a post for the cor. of townships 4 & 5 North, of
 Ranges 7 & 8 E. from which

a Beech 14 in. dia. bears S 57 W 14 lks. dist. &

a No. 14 " " " N 24 E 28 " "

Pretty good Beech land. Between the Brook first rate
 land N. of the last brook the bottom overflow timber
 Beech Sugar Ash &c. Aug. 24th. 1886

Surveyed By
 Alexander Holmes,
 Deputy Surveyor

Subdivision.

North Between Secs. 35 & 36

20.20 a Poplar 24 in. dia.

23.53 a Stream 20 lks. wide Course N. W.

40.00 Set of. Sec. post. from which

a Beech 18 in. dia. bears N 42 E 34 lks. dist. &

a Br. Oak 24 " " " S 63 W 20 " "

60.50 a Beech 6 " "

62.00 a Stream 20 lks. wide Course W.

80.00 Set post cor. to Secs. 25, 26, 35 & 36, from which

a Beech 20 in. dia. bears S 32 W 30 lks. dist. &

a No. 10 " " " N 43 E 25 " "

this line through rolling land - timber Oak & Beech.

T4N - R8E. 2^d Mer. Indiana

ch. l. m.

East On Random between Sec. 25 & 26

40.00 Set temp. g. Sec. post

79.50 Intersected the E. boundary 150 lks. S. of post
Land level timber Beech & Oak

West Corrected between Sec.

39.75 Set g. Sec. post at average dist. from which
a Beech 9 in. dia. bears S 14 N 20 lks. dist. 4
a No. 15 " " " N 25 E 49 " "

79.50 to Section Corner

North Between Sec. 25 & 26.

25.00 a W. Oak 15 in. dia.

40.00 a W. Oak 8 " " from which
a Beech 8 " " bears S 25 N 8 lks. dist. 7
a Hickory 30 " " " N 45 E 20 " "

60.00 a B. Oak 20 " "

72.00 a Stream 15 lks. wide course N.

80.00 Set post Cor. to Sec. 23, 24, 25 & 26, from which
a B. Oak 24 in. dia. bears N 81 W 60 lks. dist. 4

a No. 20 " " " S 47 E 20 " "

Land level timber Oak Beech & Hickory undergrowth
Dogwood Spice &c.

East On Random Between Sec. 24 & 25

40.00 Set temp. g. Sec. post.

78.50 Intersected the E. boundary 50 lks. S. of post
Land level timber Oak Beech & Maple.

West Corrected between Sec. 24 & 25

39.25 Set g. Sec. post at average dist. from which
a Maple 13 in. dia. bears N 70 E 23 lks. dist. 8
a Beech 10 " " " S 70 W 27 " "

78.50 to Section Corner

North Between Sec. 23 & 24

4th Sec. 2^d. Mer. Indiana

ch. lks

- 20.00 a Beech 8 in. dia.
 40.00 Set of Sec. post, from which
 a Poplar 15 in. dia. bears S 41 E 30 lks. dist. &
 a Beech 18 " " " N 41 W. 12 " "
 62.00 a No. 5 " "
 80.00 Set post Cor. to Sec. 13, 14, 23 & 24, from which
 a Beech 6 in. dia. bears N 37 E 10 lks. dist. &
 a Maple 10 " " " South 15 " "
 Land level timber Beech Oak & Poplar.

East On Random between Sec. 13 & 24.

- 40.00 Set temp. of Sec. post, Cross a branch of R. river
 200 lks. wide running N.W.
 56.00 Cross the same River 110 lks. wide running S
 71.50 a Stream 70 lks. wide course N.W.
 79.12 Intersected the E. boundary at the post
 Land Hilly Soil fertile timber Beech Sugar Walnut &c.

West Connected between Sec. 13 & 24

- 39.56 Set of Sec. post at average dist. from which
 an Elm 24 in. dia. bears S 40 E 26 lks. dist. &
 a Sugar 12 " " " N 35 W 25 " "
 79.12 to Section Corner

December 4th 1806.

North Between Sec. 34 & 35

- 19.50 a W. Oak 24 in. dia.
 40.00 Set of Sec. post, from which
 a W. Oak 12 in. dia. bears S 59 E 4 lks. dist. &
 a No. 20 " " " S 35 W 30 " "
 65.00 a Stream 50 lks. wide course N.W.
 80.00 Set post Cor. to Sec. 26, 27, 34 & 35, from which
 a Beech 30 in. dia. bears S 86 E 30 lks. dist. &
 a No. 8 " " " S 79 W 6 " "
 Land lies rolling & good for farming timber Beech
 Oak & Sugar.

407

Let R & E. 2^d. Mer. Indiana

Ch. L. M. H.

East On Prandom between Sect. 26 & 35.

40.00 Set temp'y. of Sec. post.

80.00 Intersected the N. & S. line at the post
Land rolling timber Beech & Oak

West Corrected between Sect. 26 & 35.

40.00 Set of Sec. post, at average dist. from which
a Sugar 12 in. dia. bears S 52 E 42 lhp. dist. &
a Beech 15 " " " S 83 W 18 " "

80.00 to Section Corner

North Between Sect. 26 & 27.

20.40 a Beech 20 in. dia.

40.00 Set of Sec. post, from which
a Beech 18 in. dia. bears S 30 W 25 lhp. dist. &
a No. 15 " " " N 5 E 11 " "

60.20 a Gum 18 " "

80.00 Set post Cor. to Sect. 22, 23, 26 & 27, from which
a Sugar 10 in. dia. bears S 60 W 26 lhp. dist. &
a No. 18 " " " N 40 E 50 " "
this Cor. is on a stream 12 lhp. wide course W.
Land broken soil fertile timber Beech Oak
Walnut Sugar tree &c.

East On Prandom between Sect. 23 & 26

40.00 Set temp'y. of Sec. post.

79.75 Intersected the N. & S. line 50 lhp. N. of post
Land broken timber Beech, Oak &c.

West Corrected between Sect. 23 & 26

39.87 Set of Sec. post, at average dist. from which
a Beech 18 in. dia. bears S 44 W 10 lhp. dist. &
a Sugar 12 " " " N 44 E 22 " "

79.75 to Section Corner

North Between Sect. 22 & 23

St R & E. 2^d. Mer. Indiana

ch. 1st 1/2

20.05 a Beech 6 in. dia.

40.00 Set of. Sec. post, from which
a Beech 20 in. dia. bears N 22 E 9 lks. dist. &
a No. 9 " " " S 54 W 18 " "

61.00 a Gum 18 " "

80.00 Set post Cor. to Secs. 14, 15, 22, & 23, from which
a Beech 15 in. dia. bears N 49 E 42 lks. dist. &
a No. 16 " " " S 17 W 19 " "
Land level timber Beech Maple & Oak.

East On Random between Secs. 14 & 23

40.00 Set temp. of. Sec. post

79.50 Intersected the N. & S. line 40 lks. N. of post
Land timber &c. Same as last. mile

West Corrected between Secs. 14 & 23

39.75 Set of. Sec. post, at average dist. from which
a Beech 10 in. dia. bears S 86 E 30 lks. dist. &
a No. 9 " " " N 62 W 11 " "

79.50 to Section Corner

North Between Secs. 13 & 14

23.50 an Ash 18 in. dia.

40.00 Set of. Sec. post, from which
a Beech 26 in. dia. bears North 30 lks. dist. &
a No. 12 " " " S 31 W 6 " "

60.50 W. river 50 lks. wide course W. & tolerably rapid

80.00 Set post Cor. to Secs. 11, 12, 13 & 14 from which
a Beech 8 in. dia. bears S 66 W 25 lks. dist. &
a No. 30 " " " N 54 E 20 " "
Land broken & fertile timber Beech, Sugar, & Ash.

East On Random between Secs. 12 & 13

40.00 Set temp. of. Sec. post

79.00 Intersected the E. boundary 50 lks. N. of post
Land broken timber Beech Sugar & Ash

409

S 4 N R & E. 2^d. Mer. Indiana

Ch^d. 1st M^y

West Corrected between Sec^s. 12 & 13.

- 39.50 Set q^r. Sec. post, at average dist. from which
a Beech 21 in. dia^s. bears S 44 E 43 lks. dist. &
a No. 26 " " " N 41 W 32 " "
79.00 to Section Corner
-

North Between Sec^s. 11 & 12

- 6.50 a Stream 22 lks. wide Course W.
21.12 a Sugar 12 in. dia^s.
40.00 Set q^r. Sec. post, from which
a Beech 18 in. dia^s. bears N 74 E 28 lks. dist. &
a No. 36 " " " S 66 W 16 " "
45.50 a Stream 50 lks. wide Course W.
59.75 a Sugar 15 in. dia^s.
80.00 Set post Cor. to Sec^s. 1, 2, 11 & 12, from which
a Beech 8 in. dia^s. bears S 36 W 12 lks. dist. &
a No. 12 " " " N 34 E 32 " "
Land broken - timber Sugar Ash & Beech -
-

East On Random between Sec^s. 1 & 12

- 40.00 Set temp^y. q^r. Sec^s. post
79.54 Intersected the E. boundary 45 lks. N. of post
Land timber &c. same as on the last mile
-

West Corrected between Sec^s. 1 & 12.

- 39.77 Set q^r. Sec. post, at average dist. from which
a Beech 8 in. dia^s. bears S 12 W 20 lks. dist. &
a No. 11 " " " N 8 W 10 " "
79.54 to Section Corner
-

North Between Sec^s. 1 & 2.

- 20.50 a Dogwood 4 in. dia^s.
40.00 Set q^r. Sec. post, from which
a Beech 12 in. dia^s. bears N 77 W 22 lks. dist. &
a No. 20 " " " S 4 W 55 " "
61.04 an Ash 20 " "

410

Plot N 8 E. T^h. Mer. Indiana
chth

79.50 Intersected the N. boundary 70 lks. N. of post
Set post Cor. to Sec. 14 & 2, from which
a Dogwood 7 in. dia. bears N 71 W 26 lks. dist. &
a Beech 12 " " " S 42 E 28 " "
(Description of Land &c. Omitted)

Dec. 6th 1806

North Between Sec. 14 & 15

19.50 a Beech 10 in. dia.
40.00 Set q. Sec. post, from which
a Beech 12 in. dia. bears S 76 E 12 lks. dist. &
a Maple 14 " " " N 75 W 10 " "
59.00 a Beech 8 " "
80.00 Set post Cor. to Sec. 10, 11, 14 & 15, from which
a Beech 5 in. dia. bears N 79 E 28 lks. dist. &
a Do. 15 " " " S 89 E 4 " "
Land mostly level timber Beech Maple & Oak.

East On Pradoun between Sec. 11 & 14

40.00 Set temp. q. Sec. post
46.75 to W. river 100 lks. wide course N. W.
78.50 Intersected the N. & S. line 70 lks. N. of post
Land broken & fertile timber Sugar Ash, & Beech

West Corrected between Sec. 11 & 14

39.25 Set q. Sec. post at average dist. from which
a Hackberry 30 in. dia. bears N 34 E 38 lks. dist. &
a Sugar 9 " " " S 29 E 38 " "
78.50 to Section Corner

North Between Sec. 10 & 11

9.00 to W. river 150 lks. wide course W.
25.00 an Ash 18 in. dia.
40.00 Set q. Sec. post, from which
a Beech 20 in. dia. bears S 4 E 25 lks. dist. &
a Do. 26 " " " N 12 W 8 " "

411

T4 N R8 E. 2nd Mer. Ind. A.

ch. 1st 1/2

- 43.00 a Stream 20 lks. wide Course S. W.
 59.90 a Beech 7 in. dia.
 80.00 Set post Cor. to Sect. 2, 3, 10, & 11, from which
 a Beech 30 in. dia. bears N 30 W 25 lks. dist. &
 a No. 12 " " " S 78 E 35 " "
 Land broken timber Ash Sugar and Beech
-

East On Pradom between Sect. 2 & 11.

- 32.50 a Stream 12 lks. wide Course S. W.
 40.00 Set temp. q. Sec. post
 78.40 Intersected the N. & S. line 100 lks. N. of post
 Land broken & fertile timber Beech, Sugar,
 Ash, Walnut &c.
-

West Corrected between Sect. 2 & 11

- 39.20 Set q. Sec. post at average dist. from which
 a Beech 18 in. dia. bears S 20 W 15 lks. dist. &
 a No. 12 " " " N 26 E 14 " "
 78.40 to Section Corner
-

North Between Sect. 2 & 3

- 19.90 a Beech 22 in. dia. be
 40.00 Set q. Sec. post, from which
 a Beech 30 in. dia. bears N 23 W 45 lks. dist. &
 a No. 32 " " " S 10 W 15 " "
 61.00 a Poplar 22 " "
 73.50 a Stream 50 lks. wide Course W
 78.50 Intersected the N. boundary 1 1/4 lks. E. of post
 Set post Cor. to Sect. 2 & 3, from which
 a Beech 30 in. dia. bears N 40 E 31 lks. dist. &
 a No. 24 " " " S 41 W 34 " "
 Land rolling timber Beech, Oak &c.
-

North Between Sect. 33 & 34

- 19.44 a Beech 8 in. dia.
 40.00 Set q. Sec. post, from which

412

Sta. N. R. & E. 2nd Mer. Indiana

ch. 1st

- a Beech 12 in. dia! bears East 26 lbs. dist. &
 a No. 12 " " " S 55 W 30 " "
 60.10 Hickory 6 " "
 80.00 Set post Cor. to Sect. 27, 28, 33 & 34, from which
 a Beech 18 in. dia! bears S 85 E 34 lbs. dist. &
 a Maple 15 " " " S 66 W 40 " "
 Land rolling timber Beech, & Oak -
-

East On Random between Sect. 27 & 34

- 40.00 Set temp. q. Sec. post
 80.12 Intersected the N. & S. line 30 lbs. N. of post
 this last half mile passes through a fertile
 bottom timber Oak, Sugar, Beech, & Ash
-

West Corrected between Sect. 27 & 34

- 40.06 Set q. Sec. post, at average dist. from which
 a Gum 18 in. dia! bears N 33 E 14 lbs. dist. &
 an Oak 24 " " " S 16 W 30 " "
 80.12 to Section Corner
-

North Between Sections, 27 & 28.

- 20.02 an Oak 18 in. dia!
 40.00 Set q. Sec. post, from which
 an Elm 8 in. dia! bears N 46 W 9 lbs. dist. &
 a Beech 18 " " " S 75 E 26 " "
 57.50 a Stream 50 lbs. wide Course N. W.
 60.20 a Beech 20 in. dia!
 80.00 Set post Cor. to Sect. 21, 22, 27 & 28, from which
 an Ash 24 in. dia! bears N 38 W 8 lbs. dist. &
 a Hickory 22 " " " S 6 E 12 " "
 Land broken timber Oak, Beech &c.
-

East On Random between Sect. 22 & 27

- 40.00 Set temp. q. Sec. post
 80.15 Intersected the N. & S. line 112 lbs. N. of post
 Land broken & fertile timber Beech, Sugar &c.

413

Sect. N 8 E. 2^d. Mer. Indiana

ch. l. l. m.

West Corrected between Sect. 22 & 27.

- 40.07 Set q. Sec. post, at average dist. from which
 a Beech 15 in. dia. bears N 67 W 20 lks. dist. &
 a No. 18 " " " S 3 E 18 " "
 80.15 to Section Corner

North Between Sect. 21 & 22.

- 26.75 an Oak 36 in. dia.
 40.00 Set q. Sec. post, from which
 a Dogwood 5 in. dia. bears N 46 W 7 lks. dist. &
 a Maple 10 " " " S 80 E 25 " "
 63.50 a Sugar 10 " "
 80.00 Set post Cor. to Sect. 15, 16, 21 & 22, from which
 a Poplar 20 in. dia. bears S 78 W 12 lks. dist. &
 a No. 24 " " " N 31 E 31 " "
 Land rolling timber Beech, Poplar &c.

East On Prandoni between Sect. 15 & 22.

- 40.00 ^{at stream 25 lks. wide course W.} Set temp. q. Sec. post
 81.50 Intersected the N. & S. line 40 lks. N. of post.
 Land timber &c. Same as last mile

West Corrected between Sect. 15 & 22

- 40.75 Set q. Sec. post, at average dist, from which
 a Beech 15 in dia. bears N 68 E 25 lks. dist. &
 a No. 20 " " " S 61 W 24 " "
 81.50 to Section Corner. Dec. 9th 1806

North Between Sect. 32 & 33

- 29.75 an Oak 24 in. dia.
 40.00 Set q. Sec. post, from which
 a Poplar 15 in. dia. bears N 4 E 40 lks. dist. &
 an Oak 36 " " " S 50 W 10 " "
 61.00 a Beech 10 " "
 80.00 Set post Cor. to Sect. 28, 29, 32 & 33, from which
 a Poplar 46 in. dia. bears S 66 E 15 lks. dist. &

414

Lot R8 E. 2^d. Mer. Indiana
chth

an Oak 36 in. dia! bears N 4 E 25 lbs. dist. 4
Land rolling timber this is Beech & Oak.

East On Random between Sec. 28 & 33

40.00 Set Temp. g. Sec. post

79.90 Intersected the N. & S. line at the post.

Land rolling timber Oak under gth briar thickets

West Connected between Sec. 28 & 33

39.95 Set g. Sec. post, at average dist. from which
a Beech 6 in. dia! bears S 81 E 12 lbs. dist. 4
an Oak 24 " " " S 4 N 30 " "

79.90 to Section Corner

North Between Sec. 28 & 29

20.75 an Oak 24 in. dia!

40.00 Set g. Sec. post, from which
a Hickory 15 in. dia! bears S 60 N 36 lbs. dist. 4
an Oak 36 " " " N 6 E 55 " "

63.50 a Gum 18 " "

80.00 Set post Cor. to Sec. 20, 21, 28 & 29, from which
a Beech 20 in. dia! bears N 40 E 28 lbs. dist. 4
a Hickory 12 " " " S 40 N 4 " "
Land rolling timber Beech & Oak.

East On Random between Sec. 21 & 28

26.50 a Stream 40 lbs. wide course N. W.

40.00 Set temp. g. Sec. post.

80.10 Intersected the N. & S. line 12 lbs. S. of post.

Land broken timber Beech & W. Oak.

West Connected between Sec. 21 & 28

40.05 Set g. Sec. post, at average dist. from which
a Beech 20 in. dia! bears N 60 W 42 lbs. dist. 4
a W. 12 " " " S 79 E 10 " "

80.10 to Section Corner

Lot N 8 E. 2nd Mer. Indiana

415

Ch. M.

North Between Sec. 20 & 21.

21.50 an Oak 20 in. dia.

40.00 Set q. Sec. post, from which
a Hickory 15 in. dia. bears N 81 E 6 lks. dist. &
a Sugar 6 " " " S 28 W 14 " "

59.50 a Hickory 18 " "

80.00 Set post Cor. to Sec. 16, 17, 20 & 21, from which
a Sugar 12 in. dia. bears N 89 E 10 lks. dist. &
a Hickory 14 " " " N 77 W 12 " "
Land rolling timber Hickory Beech Sugar
Ash, Oak, &c.

East On Prandon between Sec. 16 & 21.

27.00 a Stream 50 lks. wide Course N. W.
the land to this creek fine for farming

40.00 Set temp. q. Sec. post

80.00 Intersected the N. & S. line 25 lks. S. of post.
Land rolling timber Beech Ash Sugar Wal.

West Connected between Sec. 16 & 21

40.00 Set q. Sec. post. at average dist. from which
a Beech 8 in. dia. bears N 4 W 10 lks. dist. &
a Hackberry 12 " " " S 31 E 40 " "

80.00 to Section Corner

Dec. 10th 1806

North Between Sec. 16 & 15

9.50 a Stream 25 lks. wide Course W.

25.00 an Oak 20 in. dia.

40.00 Set q. Sec. post, from which
a Beech 20 in. dia. bears N 81 E 25 lks. dist. &
a Poplar 30 " " " S 25 W 22 " "

62.50 a Gum 18 " "

80.00 Set post Cor. to Sec. 9, 10, 15 & 16, from which
a Beech 15 in. dia. bears S 74 E 25 lks. dist. &
a Sugar 16 " " " N 68 W 22 " "

416

Sect N8E. 2nd Mer. Indianach. 16th

Land rolling timber beech Sugar & Poplar

East On Random between Sect. 10 & 15

40.00 Set temp. g. Sec. post

81.50 Intersected the N. & S. line 100 lbs. N. of post
Land broken timber Beech Sugar & Ash

West Corrected between Sect. 10 & 15

40.75 Set g. Sec. post, at average dist. from which
a Beech 12 in. dia. bears S 16 E 5 lbs. dist. &
a Gum 36 " " " S 81 W 25 " "

81.50 to Section Corner

North Between Sect. 9 & 10

20.15 a Beech 12 in. dia.

40.00 Set g. Sec. post, from which
an Elm 12 in. dia. bears S 81 W 20 lbs. dist. &
a Beech 15 " " " N 73 E 20 " "

54.50 to W. river 75 lbs. wide Course N.

60.00 a Sugar 12 in. dia.

80.00 Set post Cor. to Sect. 3, 4, 9, & 10, from which
a Box Elder 12 in. dia. bears N 15 W 8 lbs. dist. &
a W. 15 " " " S 31 W 20 " "
on the bank of W. river Land broken Soil fertile
timber Beech Sugar &c.

East On Random between Sect. 3 & 10

11.50 to W. river 150 lbs. wide course S.

36.50 to " W. 150 " " " N.

40.00 Set temp. g. Sec. post

81.50 Intersected the N. & S. line 80 lbs. N. of post
Land Hilly Soil fertile timber Beech Sugar
Ash Walnut &c.

West Corrected between Sect. 3 & 10

40.75 Set g. Sec. post, at average dist. from which

417

Sept R8E. 2^d. Mer. Indiana
 ch. 1st 1/2
 a Beech 18 in. dia. bears East 20 lks. dist. 4
 a No. 20 " " " West 30 " "
 81.50 to Section Corner

North Between Sec. 3 & 4

Crooked White river immediately 200 lks. wide
 course N.E. on the S. side there is a very large
 Spring which appears to be a part of the river
 which runs underground

20.00 Crooked W. river 100 lks. wide course W.

40.00 Set q. Sec. post, from which
 a Sycamore 48 in. dia. bears N 81 E 12 lks. dist. 4
 a Beech 20 " " " S 21 W 6 " "

59.50 a No. 24 " "

78.50 Intersected the N. boundary 100 lks. W. of post.
 Set post Cor. to Sec. 3 & 4, from which
 a Beech 12 in. dia. bears 70 W 20 lks. dist. 4
 a No. 9 " " " N 86 E 25 " "
 Land Hilly timber Beech Sugar & Poplar-

December 11th 1806

North Between Sec. 16 & 17

21.00 a Beech 8 in. dia.

40.00 Set q. Sec. post, from which
 a Dogwood 6 in. dia. bears N 39 E 8 lks. dist. 4
 a Poplar 15 " " " S 39 W 10 " "

62.00 a Beech 20 " "

80.00 Set post Cor. to Sec. 8, 9, 16 & 17, from which
 an Elm 18 in. dia. bears East 12 lks. dist. 4
 a No. 10 " " " N 85 W 50 " "
 Land level & fertile, timber Sugar, Ash & Beech

East On Road between Sec. 9 & 16

12.05 Stream 40 lks. wide C. N. the same that crosses
 the line between Sec. 16 & 21

40.00 Set temp. q. Sec. post

418

S 4 N N 8 E. 2nd Mer. Indiana
 ch. 2nd 1/2
 80.50 Intersected the N & S. line 75 lks. S. of post
 Land broken, timber Beech & Sugar tree

West Corrected between Sec. 9 & 16
 40.25 Set q. Sec. post, at average dist. from which
 a Beech 20 in. dia. bears S 69 E 30 lks. dist. &
 a Spruce 16 " " N 70 W 20 " "
 80.50 To Section Corner

North Between Sec. 8 & 9
 25.90 a Sugar 10 in. dia.
 40.00 Set q. Sec. post, from which
 a Sugar 20 in. dia. bears N 24 W 30 lks. dist. &
 a Beech 15 " " " S 73 E 22 " "
 60.50 a Do. 20 " "
 80.00 Set post Cor. to Sec. 4, 5, 8 & 9, from which
 a Beech 18 in. dia. bears S 25 E 32 lks. dist. &
 an Ash 18 " " " N 10 E 25 " "
 Land Broken & futile timber Beech Sugar & Ash

East On Random between Sec. 4 & 9
 5.00 to W. River 120 lks. wide Course N. W.
 20.00 to Do. 150 " " " S. W.
 40.00 Set temp. q. Sec. post
 78.00 to W. River 200 lks. wide Course N. E.
 80.00 Intersected the N. & S. line 150 lks. S. of post
 Land and Timber same as last mile

West Corrected between Sec. 4 & 9
 40.00 Set q. Sec. post, at average dist. from which
 a Sugar 12 in. dia. bears S 34 E 30 lks. dist. &
 a Beech 9 " " " N 36 E 25 " "
 80.00 To Section Corner

North Between Sec. 4 & 5
 7.50 to W. river 70 lks. wide Course N 70 W.

419

S. N. C & E. 2^d Mer. Indiana

Ch. 1st 1st

- 20.00 a Stream 60 lbs. wide course S. 20 W.
- 22.00 a Box Ceder 12 in. dia.
- 37.50 the Same Stream 60 lbs. wide course S. 15 E.
in this bend is a handsome bottom
- 40.00 Set q. Sec. post, from which
a Beech 15 in. dia. bears S 24 E 35 lbs. dist. &
a No. 28 " " " N 28 W 34 " "
- 59.50 an Ash 15 " "
- 65.00 the Same Stream 100 lbs. wide Course N. W.
- 78.80 Intersected N. boundary 200 lbs. W. of post
Set post Cor. to Sec. 4 & 5, from which
a Beech 30 in. dia. bears S 73 W 25 lbs. dist. &
a Sugar 15 " " " N 80 E 38 " "
Land broken & fertile timber Beech, Ash & Sugar-

December 12th 1806

North Between Sec. 31 & 32.

- 20.50 a Gum 18 in. dia.
- 40.00 Set q. Sec. post, from which
a Beech 12 in. dia. bears N 84 E 7 lbs. dist. &
an Ash 12 " " " S 84 W 12 " "
- 60.00 a Beech 10 " "
- 80.00 Set post Cor. to Sec. 29, 30, 31 & 32, from which
a Beech 15 in. dia. bears S 25 E 40 lbs. dist. &
a Maple 12 " " " N 25 W 8 " "
Land level timber Beech & Oak

East On Pradon between Sec. 29 & 32

- 40.00 Set temp. q. Sec. post
- 78.60 Intersected the N. & S. line 75 lbs. S. of post
Land level timber Beech & Gum

West Corrected between Sec. 29 & 32

- 39.30 Set q. Sec. post. at average dist. from which
an Oak 30 in. dia. bears S 81 E 35 lbs. dist. &
a Beech 15 " " " N 62 W 30 " "

420

L. A. R & E. 2nd Mer. Indiana

ch. 1st 1/2

78.60 to Section Corner

West Between Secs. 30 & 31

40.00 Set q. Sec. post. from which
a Hickory 18 in. dia. bears N 75 W 15 lbs. dist. &
a No. 20 " " " S 55 E 10 " "

80.05 Intersected the W. boundary at the post
~~Set post~~ Cor. to Secs. 30 & 31, from which
an Ash 12 in. dia. bears S 50 E 15 lbs. dist. &
a No. 15 " " " N 75 E 15 " "
Land rolling & very bushy timber Beech & Oak

North Between Secs. 29 & 30

20.04 a Beech 12 in. dia.

40.00 Set q. Sec. post. from which
a Gum 18 in. dia. bears S 86 W 46 lbs. dist. &
a Beech 10 " " " N 69 E 4 " "

47.50 a Stream 12 lbs. wide course S. W.

60.52 an Ash 18 in. dia.

80.00 Set post Cor. to Secs. 19, 20, 29 & 30, from which
a Hickory 12 in. dia. bears S 26 E 14 lbs. dist. &
an Ash 15 " " " S 59 W 13 " "
Land level timber Beech Oak & Gum

East On Random between Secs. 20 & 29

40.00 Set temp. q. Sec. post

79.05 Intersected the N. & S. line 75 lbs. S. of post
Land & timber same as last mile

West Corrected between Secs. 20 & 29

39.52 Set q. Sec. post. at average dist. from which
a Beech 20 in. dia. bears S 88 E 30 lbs. dist. &
an Ash 15 " " " S 77 W 34 " "

79.05 to Section Corner

West Between Secs. 19 & 30.

421

T4 N R8 E. 2^d. Mer. Indiana

ch. lks

40.00 Set q. Sec. post, from which
a Beech 18 in. dia. bears S 85 W 25 lks. dist. &
a Poplar 18 " " " N 62 E 33 "

79.12 Intersected the W. boundary 40 lks. N. of post
Set post Cor. to Sect. 19 & 20, from which
a Sugar 10 in. dia. bears S 62 E 15 lks. dist. &
a Beech 15 " " " N 33 W 45 " "
Land broken timber Beech & Poplar

December 13th 1806

North Between Sect. 19 & 20

12.50 a Stream 10 lks. wide Course W.

19.50 a Beech 30 in. dia.

40.00 Set q. Sec. post, from which
a Beech 15 in. dia. bears S 49 E 15 lks. dist. &
a No. — " " " N 59 W 25 " "

60.45 a Beech 24 " "

80.00 Set post Cor. to Sect. 17, 18, 19, & 20, from which
a Beech 18 in. dia. bears N 40 E 15 lks. dist. &
a Sugar 20 " " " S 65 W 4 " "
Land level timber Beech & Poplar

East On Random between Sect. 17 & 20

40.00 Set temp. q. Sec. post.

78.12 Intersected the N. & S. line at the post
Land level & wet timber Beech, Sweet Gum, Poplar

West Corrected between Sect. 17 & 20

39.06 Set q. Sec. post, at average dist, from which
a Gum 12 in. dia. bears N 37 W 18 lks. dist. &
a Beech 12 " " " S 50 E 20 " "

78.12 to Section Corner

West Between Sect. 18 & 19

40.00 Set q. Sec. post, from which
a Beech 12 in. dia. bears N 82 E 13 lks. dist. &

422

T. A. R. & E. 2^d. Mer. Indiana ch. 113

a Beech 6 in. dia. bears N 50 W 11 lbs. dist. &
 78.25 Intersected the W. boundary 75 lbs. N. of post
 a Beech 12 in. dia. bears North 29 lbs. dist. &
 attichony 8 " " S 87 E 11 " "
 Land level timber Beech & Poplar

North Between Sect. 17 & 18

20.48 a Beech 10 in. dia.

37.50 a Stream 4 lbs. wide Course W.

40.00 Set of. Sec. post, from which
 a Beech 10 in. dia. bears N 78 W 11 lbs. dist. &
 a No. 12 " " N 12 E 13 " "

60.50 a Beech 10 " "

80.00 Set post Cor. to Sec. 7, 8, 17 & 18, from which
 a Beech 12 in. dia. bears N 36 E 4 lbs. dist. &
 a No. 7 " " S 12 W 16 " "
 Land level timber Beech & Poplar-

East On Random between Sect. 8 & 17

40.00 Set Temp. of. Sec. post

77.50 Intersected the N. & S. line 1.05 lbs. N. of post
 Land tolerably level & good for farming timber
 Sugar, Ash, Walnut, & Beech-

West Corrected between Sect. 8 & 17

38.75 Set of. Sec. post, at average dist. from which
 a Beech 12 in. dia. bears S 86 29 lbs. dist. &
 a Sugar 8 " " N 55 W 40 " "

77.50 to Section Corner

December 15th 1806

West Between Sect. 7 & 18.

40.00 Set of. Sec. post, from which
 a Beech 20 in. dia. bears N 38 W 32 lbs. dist. &
 a No. 10 " " S 74 E 46 " "

77.75 Intersected the W. boundary 27 1/4 lbs. N. of post.

423

T4 N R8 E, 2nd Mer. Indiana

ch. P. Lk.

Set post Cor. to Sec. 7 & 18, from which
 a Beech 24 in. dia. bears North 26 lbs. dist. &
 a No. 15 " " " S 7 E 50 " "
 Land broken timber Beech & Poplar

North Between Sec. 7 & 8.

17.00 to W. river 100 lbs. wide Course W.

40.00 Set q. Sec. post, from which
 a Beech 15 in. dia. bears N 64 W 33 lbs. dist. &
 a No. 12 " " " N 27 E 13 " "

62.45 a Beech 10 " "

80.00 Set post Cor. to Sec. 5, 6, 7 & 8, from which
 a Beech 18 in. dia. bears S 56 W 38 lbs. dist. &
 a No. 28 " " " N 55 E 12 " "
 Land broken timber Beech Sugar & Ash -

East On Random between Sec. 5 & 8.

40.00 Set temp. q. Sec. post, on the W. bank of White river
 which the line crosses immediately & is 112 lbs. wide Cor. S.

78.25 Intersected the N. & S. line 295 lbs. N. of post
 Land broken, last half mile fertile timber Beech Sugr.

West Connected between Sec. 5 & 8

39.12 Set q. Sec. post, at average dist. from which
 a Beech 15 in. dia. bears S 65 W 14 lbs. dist. &
 a No. 24 " " " S 83 E 12 " "

78.25 to Section Corner

West Between Sec. 6 & 7

40.00 Set q. Sec. post, from which
 a Beech 18 in. dia. bears N 65 W 35 lbs. dist. &
 a No. 18 " " " S 47 E 15 " "

45.50 to W. river 150 lbs. wide Course N.

77.50 Intersected the W. boundary 350 lbs. N. of post
 Set post Cor. to Sec. 6 & 7, from which
 a Beech 12 in. dia. bears S 18 W 22 lbs. dist.

424

Ch. by
 T. N. R. & E. 2^d Mer. Indiana

a Beech 5 in. dia. bears N 10 W 14 lbs. dist.
 Land broken timber Beech Oak Sugar &c.
 December 15th 1806

North Between Sect. 5 & 6

20.00 a Sugar 12 in. dia.

40.00 Set q. Sec. post, from which
 a Beech 15 in. dia. bears S 82 E 8 lbs. dist. &
 an Elm 10 " " " N 67 W 12 " "

60.10 a Sugar 20 " "

76.50 Intersected the N. boundary 40 lbs. E. of post.
 Set post Cor. to Sect. 5 & 6, from which
 a Beech 24 in. dia. bears N 82 E 23 lbs. dist. &
 a No. 18 " " " South 38 " "

Land Hilly timber Beech &c. -

December 15th 1806

Ben. Taylor, D. Surveyor
 Jesse Gray }
 Wilson Maddox } Chain Carriers
 John Gray, Marker

Jesse Gray & Wilson Maddox took each
 the following Oath.

I do solemnly swear in the presence of
 Almighty God, that, in all measurements
 & surveys in which I shall be employed as
 a Chain Carrier that I will faithfully &
 impartially execute the trust reposed in me,
 so help God.

Sworn before me this 27th day of Dec:
 1806.

Ben. Taylor,

Deputy Surveyor

Comp.

T4 N R8 E, 2.^d Mer. Indiana ⁴²⁵

I Certify that the foregoing transcript of field notes
of Township N:4 North, Range N:8 East, 2.^d Mer.
Indiana, has been Comp.^d with the original notes
in this Office, and found to be Correct.

Surveyor General's Office
Cincinnati, Oct. 18. 1842

William Johnston
Sur. Genl.